

THE LIMA BUSINESS COLLEGE

The handsomest, most complete and best equipped Business College in the State of Ohio.

We teach Actual Business, Bookkeeping, Banking, Commercial Law, Arithmetic, Plain and Ornamental Penmanship, Shorthand, Typewriting, Telegraphy, and the common branches.

Students can enter any day or evening, and will receive individual instruction in all departments.

For terms and full particulars, call on or address

LIMA BUSINESS COLLEGE, Lima, O.

VISIT
THE 19 DAYS
COST PRICE

SALE AT

J. M. WAUGH'S,

SHOE STORE,

31 PUBLIC SQUARE.

ROBERT MEEBAY, President. JOHN BLANK, Vice President.

W. H. DUFFIELD, Cashier.

The Metropolitan Bank,

LIMA, OHIO.

NO. 330 NORTH MAIN STREET, METROPOLITAN BLOCK.

TRANSACTS A GENERAL BANKING BUSINESS.

Special attention given to the business of depositors. Collections promptly made.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

Deposits will be received on all days of the week.

Interest paid on all deposits.

REORGANIZED.

The Fire Department will be a Paid Fire-Other Council Matters.

The City Council convened last night with President Jones in the chair and the following members present:—Riley, Law, Forster, Wise, Meen, Landon, Duffield, and Hughes. Messrs. Riley, Law, Forster, and Wise were absent.

The minutes of the previous meeting were read and approved.

The finance committee reported having allowed certain bills for the month of July, which amounted to \$5,569.15. Mr. Riley reported that the bills for the month of July, which amounted to \$5,569.15, were all paid.

Mr. Law reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

Mr. Riley reported that the matter of the city paying for the telephone at the fire works was referred to the fire committee.

ONE ENJOYS

Both the method and results when Syrup of Figs is taken; it is pleasant and refreshing to the taste, and acts gently yet promptly on the Kidneys, Liver and Bowels, cleanses the system effectually, dispels colds, headaches and fevers and cures habitual constipation. Syrup of Figs is the only remedy of its kind ever produced, pleasing to the taste and acceptable to the stomach, prompt in its action and truly beneficial in its effects, prepared only from the most healthful and agreeable substances, its many excellent qualities commend it to a large and have made it the most popular remedy known.

Syrup of Figs is for sale in 50c and \$1 bottles by all leading druggists. For a reliable druggist who may not have it in hand write for a circular to J. C. Wells, 111 N. 3rd St., St. Louis, Mo., who will send it promptly for any one who wishes to try it. Do not accept any substitute.

California Fig Syrup Co., San Francisco, Cal., Louisville, Ky., New York, N.Y.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

Notice.

ARMY GARDEN

How to Lay Tile so as to Secure a Permanent Improvement.

The following device, illustrated in the cut below, is the best means that John M. Doss, director of the Oregon Experiment Station, has found for securing a perfect grade in laying tile without an engineer to test the work as it is completed.

It has been observed that there are eight stations. The average slope of the grade of each grade is as follows: Station 1, 30 inches; station 2, 40 inches; station 3, 40 inches; station 4, 40 inches; station 5, 40 inches; station 6, 40 inches; station 7, 40 inches; station 8, 40 inches.

At the side of the station, stakes about 4 feet in length are driven into the ground, which have the station marked above them. On the side of the station is a hook. The first stake is driven into the ground until the hook is just 31 inches above the grade stake. This makes the bottom of the tile just 31 inches below the hook. The second stake is driven into the ground until the hook is just 31 inches above the grade stake, making the bottom of the tile just 61 inches below the hook. The other

stakes it will be observed, have each been driven into the ground until the hook is just 31 inches above the grade stake.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the ditch, but not over it, in the illustration the line X is a level or horizontal line, the line Y is the grade line, and the space between these lines indicates the depth of the ditch.

Then a wire of fine steel wire of the kind used for holding stoppages in place is stretched very tight on the ground between the stakes, and when fastened it is then lifted into the hooks on the stakes. This wire must be, if the survey is correct, a straight line and parallel with the bottom of the ditch and just 31 inches above it. The wire is on one side of the

